

2015-Type II

TRANSIT-148-Mid Roof

CHASSIS INFORMATION



2015 Ford Transit 250 Mid-Roof

GASOLINE ENGINE



3.7L Ti-VCT V6

The standard 3.7L V6 delivers responsive performance with 270 horsepower and 250 lb.-ft. of torque along with impressive fuel efficiency, thanks in large part to twin independent variable cam timing (Ti-VCT) technology.




Displacement	227/3731		
Horsepower (SAE net@rpm)	275 @ 6000		
Torque (lb.-ft. @rpm)	260 @ 4000		
Compression ratio	10.5:1		
Bore x stroke (in.)	3.76 x 3.41		
Valvetrain	DOHC, 4 valve per cylinder		
Fuel delivery	Sequential multiport electronic		
Recommended fuel	Regular unleaded / E85		
Transmission type	6-speed automatic with overdrive		
Engine block material	Aluminum		
Cylinder head material	Aluminum		






Chassis FEATURES





Power Windows/Locks
Power/Heated Mirrors
Upgraded Seats (10-way Power)
Pewter/Black Interior
Upgraded Aluminum Alloy Wheel
Spare Tire underneath at Rear Door





148" Wheelbase 71" interior working height.
3.7L Ti-VCT V6 Gasoline Engine
6 speed Automatic Transmission
AM/FM/CD Radio
Tilt Steering Wheel
Speed-Control

SPECIFICATIONS



GENERAL			
1		REAR STEP BUMPER: Integral to Ford Body	1
2		HVAC: ACC Climate Control Series Heat/Air system. Air is vented to 4 adjustable vents mounted at the top of the streetside cabinets.	1
		ACC Specifications 22007 Series - Up to 32,000 BTU/HR/Cool - Up to 43,300 BTU/HR/Heat - 580 CFM - 3 Speed Fan - 12 Volt Motor	
3		WALK THRU: 16" X 60" Walk Thru Doorway with Sliding Door. Cab side lock included and 12 x 15 Window	N/A
4		FLOORING: LONCOIN Tear/Gouge resistant Bio-Safe Flooring with rolled edges. Easy to clean coin pattern. BLUEFLECKS Color	N/A
5		UPHOLSTERY: Vinyl Bio-Safe upholstery on finish surfaces, Bulkhead, Oxygen Storage, and Head Protection. Cobalt Blue in color	N/A
6		IV HOOKS: Cast Fold away IV Hooks mounted in Ceiling. One mounted over forward Cot Area, one mounted on Curbside.	2
7		SAFETY RAIL: 6 foot Stainless Steel Safety Rail mounted off center toward Street Side. 1 1/2 inch diameter mounted through finish ceiling into 1/4 inch afixed backing plate.	1
8		COT MOUNT: Ferno Cot catch for 35-A, 35-A+, 35-X style cots. Floor mounted catch system with 16.5 inch bar	1
ELECTRICAL			
9		INVERTER/CHARGER: Xantrex 1000 Watt Inverter Charger w/ Shoreline Connection Drivers Side. All controls at Action Wall includes voltage indicators and Load indicator. 55 Amp Charger with intelligent charging and battery conditioning.	1
10		110 VAC OUTLETS: 1 at Action Wall, 1 on Curbside at back of side door. Up to 2 additional can be added. Duplex GFI outlets with ON indicator.	2

ELECTRICAL-cont.			
11		12VDC OUTLETS: Cigar lighter type outlets.	3
12		AUXILLIARY POWER SOURCES: Currently 2 fuseable sources up to 20 amp behind Action Wall and 2 fuseable sources up to 20 amp in Front Console. Additional pigtail can be added behind Drivers Seat	4
13	SPEAKERS: Cast Products SA6117 15FTC Dual Siren 200 Watt Speaker Each, Under the Bumper Mount 2015 Ford Transit Cargo Van (Center Mounted Under the Bumper)		1
14	SIREN: SVP SA700 200 Watt Yelp/Wail/Hi-Lo with Public Address and Horn Ring interface. Can be interfaced to Radio.		1
15		CONSOLE: Between Cab seats Switches on Angled Plane, Siren mounted flat on top. Voltage Meter mounted in switch plate. Audible low voltage indicator with visual warning light. Automatic Reset.	1
LIGHTING			
16		LIGHTS:DOME 5 center mounted LED dome lights with High and Low intensity. Dome lights turn on at low intensity with side and rear door opening.	5
17	LIGHTS: ACTION WALL LED Soft Glow light mounted under action wall provides indirect lighting for night time transport as an alternative to the higher intensity dome lights.		1
18	LIGHTS: SIDE DOOR CABINET The large cabinet at the side door includes LED lighting that activates on the door opening to light the contents of the cabinet during night time operation		2
19		LIGHTS: FRONT LIGHTBAR Miller Coach POD with 8 Forward facing, 2 Side Facing TOMAR SCORPION Super High Intensity LED Lights. Standard Lighting Package includes 8 RED LED's w/Clear Lens and 2 Center White LED's. KKK-Flash Pattern with Primary/Secondary. Local Jurisdiction Regulation Lighting Available all States.	10

LIGHTING-cont.			
20		LIGHTS: CORNER PODS Cast Housings with Tecniq 3 x 7 LED Scene Lights, Tecniq 3 x 7 LED Emergency Light RED Lens and LED Marker Light (Amber Front/Red Rear). Lights Typical all 4 corners. KKK Flash Pattern.	12
21		LIGHTS: REAR LIGHTBAR Miller Coach POD with 8 Rear facing TOMAR SCORPION Super High Intensity LED Lights. Standard Lighting Package includes 4 RED LED's w/Clear Lens and 4 AMBER LED's w/Clear Lens. KKK-Flash Pattern.	8+2
22		LIGHTS: EXTERIOR REAR Brookings LED Lights mounted on rear of unit. RED Lens. High Intensity KKK-Flash. Mounted High for better visibility.	2
24		LIGHTS: INTERSECTION Weldon, Diamondback High Intensity LED Lights Mounted over Rear and Front Wheel wells. Lights mounted low for extra visibility.	4
25		LIGHTS: FRONT BUMPER (NOT SHOWN) Small 1" AMBER Light mounted on Front Bumper used as Master Switch Indicator. Designed as a reminder that the Master Switch has been left on when walking away from unit.	2
26		LIGHTS: GRILL TOMAR SCORPION Super High Intensity LED Lights w/Clear Lens mounted at Grill	

LIGHTING-cont.			
28		<p>LIGHTS: RUBRAIL Small 1" Lights Mounted on each side on the Rub Rail for extra visibility. RED w/Clear Lens Rear, AMBER w/Clear Lens Front. In Non-Emergency mode, lights activate with Marker Lights. When Primary Emergency lights Activated, Lights follow KKK-Flash pattern.</p>	8
23		<p>LIGHTS: REAR LOAD Small Footprint High Intensity LED Light for Rear Load. Activates by switch or Door open.</p>	1
MEDICAL			
29		<p>OXYGEN SYSTEM: 2 Ohio Type Outlets Mounted at Action Wall. Bottle Mounted at Rear Door Streetside in valve accessible cabinet. Door removes for easy bottle changeout.</p>	2
30		<p>SUCTION SYSTEM: SSCOR Regulator and built-in Suction Pump. Quick Change, easy to remove Aspiration Container mounted below controls at Action Wall.</p>	1

GENERAL FLOORPLAN



35



CABINETS: MAIN SET Cabinet Grade Plywood construction with washable Bio-Safe White laminate finish. Corners, crevices sealed. Large Sliding Doors for easy access and uppers with adjustable shelving.